

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A mercury-free gas discharge lamp comprising:

an inner vessel including electrodes for providing a discharge arc; and

an outer bulb, wherein a surface of at least one of the inner vessel and the outer bulb comprises a pattern configured to increase a diffuseness of the discharge arc, wherein the pattern includes ~~shapes which are~~ structured arrangements formed on the surface, the structured arrangements being overlapping over each other along an axis parallel to the at least one of the inner vessel and the outer bulb when viewed from a direction perpendicular to the axis connecting a set of the structured arrangements.

2. (Previously Presented) The mercury-free gas discharge lamp as claimed in claim 1, wherein the pattern is configured to increase the diffuseness of the discharge arc of the mercury-free gas discharge lamp by 0.01 mm up to 1.5 mm in comparison with a corresponding gas discharge lamp without the pattern.

3. (Previously Presented) The mercury-free gas discharge lamp as claimed in claim 1, wherein the pattern is configured to reduce the discharge arc curvature of the mercury-free gas discharge lamp by 0.01 mm up to 0.5 mm in comparison with a corresponding gas discharge lamp without the pattern.

4. (Previously Presented) The mercury-free gas discharge lamp as claimed in claim 1, wherein the mercury-free gas discharge lamp is at least one of a mercury-free high-pressure gas discharge lamp, and a mercury-free xenon high-pressure gas discharge lamp.

5. (Previously Presented) The mercury-free gas discharge lamp

as claimed in claim 1, wherein light losses of the mercury-free gas discharge lamp as compared with a gas discharge lamp without the pattern amount to ≤ 90 lumens and ≥ 5 lumens.

6. (Previously Presented) The mercury-free gas discharge lamp as claimed in claim 1, wherein the at least one of the inner vessel and the outer bulb is made of at least one of glass and ceramic materials.

7. (Previously Presented) The mercury-free gas discharge lamp as claimed in claim 1, wherein the at least one of the inner vessel and the outer bulb has the pattern at least one of on its outer surface facing away from the discharge arc, on its outer surface facing the discharge arc, and within the inner vessel or bulb material.

8. (Previously Presented) The mercury-free gas discharge lamp as claimed in claim 1, wherein the pattern is formed by at least one of a laser treatment, sandblasting, surface etching, surface

slitting and roughening, and is optionally finished by fire polishing.

9. (Previously Presented) The mercury-free gas discharge lamp as claimed in claim 1, wherein the pattern covers a surface area of 2 mm^2 to 12 mm^2 , said surface area being arranged over a brightest spot in the discharge arc.

10. (Previously Presented) The mercury-free gas discharge lamp as claimed in claim 1, wherein the mercury-free gas discharge lamp is configured for motor vehicles.

11. (Previously Presented) The mercury-free gas discharge lamp of claim 1, wherein the pattern is further configured to provide an optical impression when viewed from an exterior of the mercury-free gas discharge lamp, the optical impression showing a change in a viewed position of a brightest spot of the discharge arc despite lack of an actual change of an actual position of the brightest spot within the mercury-free gas discharge lamp.

12. (Previously Presented) The mercury-free gas discharge lamp of claim 1, wherein the pattern is further configured to not change an actual position of a brightest spot of the discharge arc and yet provide an optical impression showing a perceived change in a perceived position of a brightest spot when viewed from an exterior of the mercury-free gas discharge lamp.

13. (Previously Presented) The mercury-free gas discharge lamp of claim 1, wherein the pattern includes at least one of lines, dots, circles, rectangles, and polygons.

14. (Previously Presented) The mercury-free gas discharge lamp of claim 13, wherein the lines includes at least one of straight, curved, wavy, and spiraling lines.

15. (Currently Amended) The mercury-free gas discharge lamp of claim 13, wherein the ~~pattern includes shapes of~~ structured arrangements are at least one of same and different sizes, and ~~they~~

Amendment in Reply to the Final Office Action of November 21, 2007
and the Advisory Action of January 24, 2008

~~may be~~ are partly or fully planar in shape.

Claim 16(Canceled)

17.(Currently Amended) The mercury-free gas discharge lamp of claim 1, wherein the ~~pattern includes shapes which~~ structured arrangements are at least one of partly and fully planar.

18.(Currently Amended) A discharge lamp comprising:
an inner vessel including electrodes for providing a discharge arc; and

an outer bulb, wherein at least one of the inner vessel and the outer bulb comprises a pattern configured to increase a diffuseness of the discharge arc, wherein the pattern includes ~~shapes which are~~ structured arrangements formed on the surface, the structured arrangements being overlapping over each other along an axis parallel to the at least one of the inner vessel and the outer bulb when viewed from a direction perpendicular to the axis connecting a set of the structured arrangements.

19. (Previously Presented) The discharge lamp of claim 18, wherein the pattern is further configured to provide an optical impression when viewed from an exterior of the discharge lamp, the optical impression showing a change in a viewed position of a brightest spot of the discharge arc despite lack of an actual change of an actual position of the brightest spot within gas discharge lamp.

20. (Previously Presented) The discharge lamp of claim 18, wherein the pattern is further configured to not change an actual position of a brightest spot of the discharge arc and yet provide an optical impression showing a perceived change in a perceived position of a brightest spot when viewed from an exterior of the discharge lamp.

21. (New) The discharge lamp of claim 1, wherein the pattern includes homogeneously overlapping rings arranged in at least one of row and columns formed by at least one of a laser treatment,

sandblasting, surface etching, surface slitting and roughening.

22.(New) The discharge lamp of claim 18, wherein the pattern includes homogeneously overlapping rings arranged in at least one of row and columns formed by at least one of a laser treatment, sandblasting, surface etching, surface slitting and roughening.